

## Disclaimer:

This document was not produced by DEQ. Some of its content may not be in an accessible format pursuant to Section 508 of the federal Rehabilitation Act of 1973, as amended (29 U.S.C. § 794 (d)). Please call 800-592-5482 if you need assistance.



Buffer Area

Digitized Point

1:36,112
0 0.3 0.6 1.2 mi
0 0.5 1 2 km

Source Est Digna Gable Geody & Estimats Geographica (ABS) AND 185 AND TOTAL THE GLOS UNITS AND TOTAL THE GLOS USES COMMUNIC.

MILE RADIUS 27.39 PEOPLE PEZ Sames MILE


Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

Selected Variables		State Average	Percentile in State	EPA Region Average	Percentile in EPA Region		Percentile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in µg/m <sup>3</sup> )	8.47	8.92	10	9.97	4	9.53	28
Ozone (ppb)	40.1	43.6	3	44.3	1	42.5	29
NATA* Diesel PM (µg/m³)	0.253	0.77	7	0.921	<50th	0.938	<50th
NATA* Air Toxics Cancer Risk (risk per MM)	34	42	20	42	<50th	40	<50th
NATA* Respiratory Hazard Index	0.87	1.8	7	1.8	<50th	1.8	<50th
Traffic Proximity and Volume (daily traffic count/distance to road)	1.5	430	6	360	6	600	5
Lead Paint Indicator (% pre-1960s housing)	0.19	0.21	61	0.36	39	0.29	50
Superfund Proximity (site count/km distance)	0.068	0.1	58	0.14	53	0.12	60
RMP Proximity (facility count/km distance)	0.059	0.37	16	0.6	14	0.72	13
Hazardous Waste Proximity (facility count/km distance)	0.022	0.67	5	1.3	1	4.3	4
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0.0022	2.7	90	100	68	30	72
Demographic Indicators	,	·					
Demographic Index	39%	32%	71	30%	73	36%	62
Minority Population	37%	37%	55	32%	65	38%	57
Low Income Population	42%	27%	78	28%	77	34%	67
Linguistically Isolated Population	6%	3%	84	2%	86	4%	74
Population with Less Than High School Education	19%	11%	80	11%	83	13%	75
Population under Age 5	3%	6%	20	6%	22	6%	20
Population over Age 64	22%	14%	85	15%	83	14%	85

<sup>\*</sup>The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

## For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.



December 3, 2018

Buffer Area

Digitized Point

1:72,224

0 0.5 1 2 mi

0 1.72,224

2 mi

0 2 4 km

Source Est Digitations Geoffic Estimates Geographica CNES/Arious D6

SDC USSS ARCORD GN and CONTINUED.


2 MILE RADIUS	21 6+ PEORE	PER SQUARE	MILLE	
Sites reporting to EPA				
Superfund NPL				0
Hazardous Waste Treatment, Storage, and D	isposal Facilities (TSDF)			0

Selected Variables		State Average	Percentile in State	EPA Region Average	Percentile in EPA Region		Percentile in USA
Environmental Indicators	-						
Particulate Matter (PM 2.5 in µg/m³)	8.49	8.92	11	9.97	4	9.53	28
Ozone (ppb)	40.1	43.6	3	44.3	1	42.5	29
NATA* Diesel PM (µg/m³)	0.245	0.77	6	0.921	<50th	0.938	<50th
NATA* Air Toxics Cancer Risk (risk per MM)	34	42	20	42	<50th	40	<50th
NATA* Respiratory Hazard Index	0.86	1.8	7	1.8	<50th	1.8	<50th
Traffic Proximity and Volume (daily traffic count/distance to road)	3.4	430	8	360	8	600	8
Lead Paint Indicator (% pre-1960s housing)	0.19	0.21	61	0.36	39	0.29	50
Superfund Proximity (site count/km distance)	0.09	0.1	71	0.14	62	0.12	69
RMP Proximity (facility count/km distance)	0.063	0.37	18	0.6	16	0.72	14
Hazardous Waste Proximity (facility count/km distance)	0.021	0.67	4	1.3	1	4.3	
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0.0017	2.7	89	100	67	30	71
Demographic Indicators							
Demographic Index	39%	32%	71	30%	73	36%	63
Minority Population	38%	37%	57	32%	67	38%	58
Low Income Population	40%	27%	76	28%	75	34%	65
Linguistically Isolated Population	5%	3%	81	2%	83	4%	70
Population with Less Than High School Education	22%	11%	85	11%	87	13%	79
Population under Age 5	4%	6%	29	6%	31	6%	28
Population over Age 64	22%	14%	85	15%	82	14%	84

<sup>\*</sup>The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

## For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not



December 3, 2018

Buffer Area

Digitized Point

		1:144.448	3
0	1.25	2.5	€ mi
-	-	-	<del></del>
0	2	4	3 km
		eoEye Earnets and the G.S.C.	st Geographics: CNES/Attour DS set Community


5	MILE RADIUS	15.49	PEUPLE	PEC	SOWARE	MILE	
Sites r	eporting to EPA		`				
Super	fund NPL				·		0
Hazar	dous Waste Treatment, Storage, a	nd Disposal Facili	ties (TSDF)				0

Selected Variables	Value	State Average	Percentile in State	EPA Region Average	Percentile in EPA Region		Percentile in USA
Environmental Indicators				•		Tront Falls	
Particulate Matter (PM 2.5 in µg/m³)	8.52	8.92	14	9.97	5	9.53	29
Ozone (ppb)	40	43.6	3	44.3	1	42.5	29
NATA* Diesel PM (µg/m³)	0.235	0.77	5	0.921	<50th	0.938	<50th
NATA* Air Toxics Cancer Risk (risk per MM)	34	42	20	42	<50th	40	<50th
NATA* Respiratory Hazard Index	0.86	1.8	6	1.8	<50th	1.8	<50th
Traffic Proximity and Volume (daily traffic count/distance to road)	6.6	430	13	360	13	600	13
Lead Paint Indicator (% pre-1960s housing)	0.2	0.21	62	0.36	40	0.29	51
Superfund Proximity (site count/km distance)	0.12	0.1	79	0.14	71	0.12	76
RMP Proximity (facility count/km distance)	0.075	0.37	23	0.6	20	0.72	18
Hazardous Waste Proximity (facility count/km distance)	0.021	0.67	4	1.3	1	4.3	3
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0.0011	2.7	86	100	64	30	68
Demographic Indicators							
Demographic Index	39%	32%	70	30%	73	36%	62
Minority Population	39%	37%	58	32%	67	38%	59
Low Income Population	39%	27%	74	28%	73	34%	63
Linguistically Isolated Population	3%	3%	74	2%	76	4%	64
Population with Less Than High School Education	24%	11%	88	11%	90	13%	83
Population under Age 5	6%	6%	56	6%	60	6%	55
Population over Age 64	21%	14%	83	15%	79	14%	82

<sup>\*</sup>The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, **not** definitive **risks to** specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not



December 3, 2018

Buffer Area

Digitized Point

1:577,791

0 5 10 20 mi

0 5 10 20 km

5 10 20 km

5 10 5 10 6001;e Esthes's Geographics CNES-Arbus 35

Subare Bar Digital Sobe Geotile Esthes's Geographics CNES-Arbus 35

2	0	iAA i	HE	a A	Dives
V		rett	hc.	1-14	DING

32.9 PEDPLE PER SQUALE MILE

Sites reporting to EPA	
Superfund NPL	1
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

Selected Variables	Value	State Average	Percentile in State	EPA Region Average	Percentile in EPA Region		Percentile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in µg/m³)	8.54	8.92	16	9.97	6	9.53	29
Ozone (ppb)	40	43.6	3	44.3	1	42.5	29
NATA* Diesel PM (µg/m³)	0.262	0.77	7	0.921	<50th	0.938	<50th
NATA* Air Toxics Cancer Risk (risk per MM)	34	42	19	42	<50th	40	<50th
NATA* Respiratory Hazard Index	0.98	1.8	12	1.8	<50th	1.8	<50th
Traffic Proximity and Volume (daily traffic count/distance to road)	23	430	29	360	29	600	28
Lead Paint Indicator (% pre-1960s housing)	0.22	0.21	65	0.36	42	0.29	54
Superfund Proximity (site count/km distance)	0.068	0.1	58	0.14	53	0.12	60
RMP Proximity (facility count/km distance)	0.16	0.37	53	0.6	40	0.72	35
Hazardous Waste Proximity (facility count/km distance)	0.028	0.67	8	1.3	3	4.3	6
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0.00056	2.7	82	100	59	30	65
Demographic Indicators							
Demographic Index	33%	32%	61	30%	66	36%	55
Minority Population	29%	37%	45	32%	59	38%	50
Low Income Population	37%	27%	71	28%	70	34%	60
Linguistically Isolated Population	1%	3%	57	2%	59	4%	48
Population with Less Than High School Education	20%	11%	82	11%	84	13%	77
Population under Age 5	5%	6%	41	6%	45	6%	41
Population over Age 64	18%	14%	72	15%	66	14%	71

<sup>\*</sup>The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, **not** definitive risks **to** specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not